



VMXW-12C-SS

12" Waterproof Industrial-Grade LCD Monitor

- Waterproof NEMA 4X Stainless Steel Enclosure
- Video Inputs: VGA, DVI-D
- Lockable On-Screen Display (OSD) Controls
- Auto Re-Start After Power Loss
- **TRU-Tuff** Ensures Maximum Shock/Vibration Resistance
- 3-Year Warranty

The VMXW-12C-SS 12" Industrial-Grade waterproof monitors feature rugged NEMA 4X stainless steel enclosures. They are ideal for wash-down environments in manufacturing plants, food processing or any other areas where liquids, steam or moisture may damage standard monitors. An extensive list of OEM options enables you to customize the VMXW-12C-SS monitors to meet your exact needs.

All TRU-Vu industrial LCD monitors are specifically designed for use in demanding applications. Every TRU-Vu monitor utilizes industrial-grade components and high-end LCD panels not found in retail/consumer-grade monitors. This ensures superior image quality, improved performance and greater durability. Our 3-Year Warranty ensures you of reliable worry-free operation. Visit www.TRU-VuMonitors.com for more details.

	Specifications
MODEL	VMXW-12C-SS
LCD Panel	12" Color LCD; LED Backlights
Display Resolution	1024 x 768 (XGA)
Viewable Area	9.68" (W) x 7.27" (H) (245.76 x 184.32 mm)
Pixel Pitch	0.240 mm
Display Colors	16.7 M
Aspect Ratio	4:3
Brightness	500 nits
Contrast Ratio	700:1
Viewing Angle	160° (H) x 160° (V)
Response Time	35 msec
Control	OSD (On-Screen Display) via Rear Panel Pushbuttons
Video Inputs	VGA & DVI
Power Requirement	90-240 VAC
Enclosure	Stainless Steel, NEMA 4X Waterproof
Mounting	75 x 75 mm Rear VESA Mount Holes
Operating Temperature	-22° to +185° F (-30° to +85° C)
Humidity	5-90% RH
Shock	50G; 20 msec, half-sine
Vibration	1.5 G, (10-200Hz, P-P)
Dimensions	TBD
Weight	TBD

Specifications subject to change without notice.